
Adapters, Couplers and Fittings

www.alliedhpi.com









For more than half a century, Allied Healthcare Products has been supplying quality adapters, couplers and fittings to our customers. Our history dates back to the medical department of National Cylinder Gas (NCG), which produced gases in cylinders and for hospitals in the 1930s and early 1940s. In 1953, NCG installed for hospitals in the 1930s and early 1940s. In 1953, NCG installed for hospitals in the 1930s and early 1940s. Over the years the its first piped medical gas system in a hospital. Over the years the NCG Medical Division evolved into the Chemetron Medical NCG Medical Div

Through such acquisitions and transformations we have sought to strengthen our leadership position in medical gas, respiratory therapy, and emergency medical products throughout the world.

In an age when the world has become a global village, we at Allied Healthcare Products continually renew our commitment to the "Global Support of Life."

Table of Contents

| QUICK-CONNECT ADAPTERS AND COUPLERS | |
|---|--|
| Chemetron® Quick-Connect Adapters | |
| Chemetron® Quick-Connect Adapters – ISO | |
| Chemetron® Quick-Connect Couplers | |
| Chemetron® Quick-Connect Duplex Couplers | |
| Chemetron® Quick-Connect Couplers – ISO | |
| Ohmeda® Style Quick-Connect Adapters | |
| Ohmeda® Style Quick-Connect Couplers | |
| Ohmeda® Style Quick-Connect Duplex Couplers | |
| Ohmeda® Style Quick-Connect Adapters – ISO | |
| Puritan-Bennett Style Quick-Connect Adapters | |
| Puritan-Bennett Style Quick-Connect Couplers | |
| Puritan-Bennett Style Quick-Connect Couplers – ISO | |
| Schrader Style Quick-Connect Adapters | |
| Schrader Style Quick-Connect Couplers | |
| Oxequip® Twist Style Quick-Connect Adapters | |
| Oxequip® Medstar Style Quick-Connect Adapters | |
| Oxequip® Medstar Style Quick-Connect Adapters - ISO | |
| Oxequip® Medstar Style Quick-Connect Couplers | |
| DISS FITTINGS | |
| DISS Male Fittings | |
| DISS Female Fittings | |
| MEDICAL FITTINGS AND | |
| NPT Pipe Fittings | |
| Hose Barb x NPT Pipe Fittings and Hose Ferrules | |
| Conductive Medical Grade Hose and Hose Retractors | |
| Miscellaneous Valves and Fittings | |
| OYNACON NITROGEN FITTINGS | |
| ADDITIONAL ISO CONNECTORS | |
| MISCELLANEOUS ACCESSORIES | |
| Double Bar & "Y" Bar Block Assemblies | |
| Bottle Holder Adapters | |

Chemetron® Style Quick-Connect Adapters

| Please call Customer Service 800-444-3940 for additional ordering information. | Oxygen | Medical Air | Vacuum* | N ₂ O | WAGD | CO ₂ |
|---|------------|---|---|------------------|------------|-----------------|
| 1/8" NPT Male | 12-01-1000 | 12-01-1100 12-01-1101 (round striker) | 12-01-1200 12-01-1201 (round striker) | 12-01-1300 | 12-01-1400 | 12-01-1500 |
| 1/4" NPT Male | 12-01-1010 | 12-01-1110 | 12-01-1210 | 12-01-1310 | 12-01-1410 | 12-01-1510 |
| DISS Male | 12-01-3000 | 12-01-3100 | 12-01-3200 | 12-01-3300 | 12-01-3400 | 12-01-3500 |
| 1/8" NPT Female | 12-01-2000 | 12-01-2100 | 12-01-2200 | 12-01-2300 | 12-01-2400 | 12-01-2501 |
| DISS Female Hand Tight | 12-01-4000 | 12-01-4100 | 12-01-4200 | 12-01-4300 | _ | 12-01-4500 |
| DISS Female Hex Nut | 12-01-4001 | 12-01-4101 | 12-01-4201 | | | |

^{*}Recommend use of 5/16" hose minimum for vacuum service

Chemetron® Style Quick-Connect Adapters

| Please call Customer Service 800-444-3940 for additional ordering information. | Oxygen | Medical Air | Vacuum* | N ₂ O | WAGD | CO ₂ |
|--|------------|---|---|------------------|------------|-----------------|
| DISS Knurled Nut | _ | 12-01-4102 | _ | _ | _ | _ |
| 1/4" Hose Barb | 12-01-5000 | 12-01-5100 12-01-5101 (round striker) | 12-01-5200 12-01-5201 (round striker) | 12-01-5300 | 12-01-5400 | 12-01-5500 |
| 5/16" Hose Barb | | | 12-01-5202 | | 12-01-5402 | |

^{*}Recommend use of 5/16" hose minimum for vacuum service

Chemetron® Style Quick-Connect Adapters – ISO Color Standard

| Please call Customer Service 800-444-3940 for additional ordering information. | Oxygen | Medical Air | Vacuum | N ₂ O |
|---|------------|----------------|------------|------------------|
| 1/8" NPT Male | 12-11-1000 | 12-11-1100 | 12-11-1200 | 12-11-1300 |

Chemetron® Style Quick-Connect Couplers

| Please call Customer Service 800-444-3940 for additional ordering information. | Oxygen | Medical Air | Vacuum* | N ₂ O | WAGD | CO ₂ |
|--|------------|----------------|------------|------------------|------------|-----------------|
| 1/8" NPT Male | 11-02-0021 | 11-02-0031 | 11-02-0026 | 11-02-0046 | 11-02-0035 | 11-02-0047 |
| 1/4" NPT Male | 11-02-0023 | 11-02-0030 | 11-02-0025 | 11-02-0028 | 11-02-0052 | 11-02-0050 |
| DISS Male | 11-02-0022 | 11-02-0043 | 11-02-0041 | 11-02-0042 | _ | 11-02-0045 |
| 1/4" Hose Barb | 11-02-0020 | 11-02-0029 | 11-02-0024 | 11-02-0027 | 11-02-0034 | 11-02-0032 |
| 5/16" Hose Barb | _ | _ | 11-02-0037 | | | |

^{*}Recommend use of 5/16" hose minimum for vacuum service




Chemetron® Quick-Connect Duplex Couplers

| Please call Customer Service @ 800-444-3940 for additional ordering information. | Oxygen | Medical Air | Vacuum* |
|--|------------|----------------|------------|
| Double Coupler – CENTER | 11-01-0010 | 11-01-0027 | 11-01-0015 |
| Double Coupler – OFFSET RIGHT | 11-01-0012 | 11-01-0118 | 11-01-0115 |
| Double Coupler – OFFSET LEFT | 11-01-0011 | | 11-01-0112 |
| Double Coupler – "Y" Style | 11-03-0001 | 11-03-0002 | 11-03-0003 |

Chemetron® Style Quick-Connect Couplers – ISO Color Standard

| Please call Customer Service @ 800-444-3940 for additional ordering information. | Oxygen | Medical Air | Vacuum | CO ₂ | WAGD |
|--|------------|----------------|------------|-----------------|------------|
| 1/4" Hose Barb | 11-02-1020 | 11-02-1029 | _ | _ | _ |
| 1/4" NPT Male | 11-02-1023 | 11-02-1030 | 11-02-1025 | _ | _ |
| DISS Male | 11-02-5022 | 11-02-5043 | 11-02-5041 | 11-02-5045 | 11-02-0054 |





Ohmeda® Style Quick-Connect Adapters

| Please call Customer Service 800-444-3940 for additional ordering information. | Oxygen | Medical Air | Vacuum | N ₂ O | WAGD | CO ₂ |
|--|------------|----------------|---|------------------|------------|-----------------|
| 1/8" NPT Male | 12-02-1000 | 12-02-1100 | 12-02-1200 | 12-02-1300 | 12-02-1400 | 12-02-1500 |
| 1/4" NPT Male | 12-02-1010 | 12-02-1110 | 12-02-1210 | 12-02-1310 | 12-02-1410 | 12-02-1510 |
| DISS Male | 12-02-3000 | 12-02-3100 | 12-02-3200 | _ | | _ |
| 1/8" NPT Female | 12-02-2000 | 12-02-2100 | 12-02-2200 | _ | 12-02-2400 | _ |
| DISS Female Hand Tight | 12-02-4000 | 12-02-4100 | 12-02-4200 | _ | _ | _ |
| DISS Female Hex Nut | 12-02-4001 | 12-02-4101 | | | | 12-02-4501 |
| 1/4" Hose Barb | 12-02-5000 | 12-02-5100 | 12-02-5200 5/16" Hose Barb 12-02-5202 | 12-02-5300 | 12-02-5400 | 12-02-5500 |

Ohmeda® Style Quick-Connect Couplers

| Please call Customer Service 800-444-3940 for additional ordering information. | Oxygen | Medical Air | Vacuum | N ₂ O | WAGD | CO ₂ |
|--|------------|----------------|------------|------------------|------|-----------------|
| 1/8" NPT Male | 11-10-0039 | 11-10-0049 | 11-10-0046 | 11-10-0048 | _ | _ |
| 1/4" NPT Male | 11-10-0042 | 11-10-0045 | 11-10-0044 | 11-10-0043 | _ | _ |
| DISS Male | 11-10-0059 | 11-10-0069 | 11-10-0060 | 11-10-0064 | | _ |
| 1/8" NPT Female | 11-10-0055 | 11-10-0058 | 11-10-0056 | 11-10-0057 | _ | |
| 1/4" Hose Barb | 11-10-0050 | 11-10-0053 | 11-10-0051 | 11-10-0052 | | |

Ohmeda® Style Quick-Connect Duplex Couplers

| Please call Customer Service 800-444-3940 for additional ordering information. | Oxygen | Medical Air | Vacuum | N ₂ O | WAGD | CO ₂ |
|--|------------|----------------|------------|------------------|------|-----------------|
| Duplex Coupler – "Y" Style | 11-03-0004 | 11-03-0005 | 11-03-0006 | | | |
| Duplex Coupler – Bar Style | 11-10-0090 | | 11-03-0026 | | | |

Ohmeda® Style Quick-Connect Adapters – ISO Color Standard

| Please call Customer Service 800-444-3940 for additional ordering information. | Oxygen | Medical Air | Vacuum | N ₂ O |
|--|------------|----------------|------------|------------------|
| 1/8" NPT Male | 12-12-1000 | 12-12-1100 | 12-12-1200 | |

Puritan-Bennett Style Quick-Connect Adapters

| Please call Customer Service 800-444-3940 for additional ordering information. | Oxygen | Medical Air | Vacuum | N ₂ O | WAGD | CO ₂ |
|--|------------|----------------|------------|------------------|------|-----------------|
| 1/8" NPT Male | 12-03-1000 | 12-03-1100 | 12-03-1200 | 12-03-1300 | _ | _ |
| 1/4" NPT Male | 12-03-1010 | 12-03-1110 | 12-03-1210 | 12-03-1310 | _ | _ |
| DISS Male | 12-03-3000 | 12-03-3100 | 12-03-3200 | 12-03-3300 | _ | _ |
| 1/8" NPT Female | 12-03-2000 | 12-03-2100 | 12-03-2200 | _ | _ | _ |
| DISS Female Hand Tight | 12-03-4000 | | 12-03-4200 | _ | _ | _ |
| DISS Female Hex Nut | 12-03-4001 | 12-03-4101 | 12-03-4201 | 12-03-4301 | _ | |
| 1/4" Hose Barb | 12-03-5000 | 12-03-5100 | 12-03-5200 | 12-03-5300 | | |

Puritan-Bennett Style Quick-Connect Couplers

| Please call Customer Service 800-444-3940 for additional ordering information. | Oxygen | Medical Air | Vacuum | N ₂ O |
|--|------------|----------------|------------|------------------|
| 1/4" NPT Male | 11-10-0014 | 11-10-0020 | 11-10-0016 | 11-10-0018 |
| Double Coupler – "Y" Style | 11-03-0013 | _ | 11-03-0015 | |

Puritan-Bennett Style Quick-Connect Adapters – ISO Color Standard

| Please call Customer Service 800-444-3940 for additional ordering information. | Oxygen | Medical Air | Vacuum | N ₂ O |
|--|------------|----------------|------------|------------------|
| DISS Female Hand Tight | 12-13-4000 | 12-13-4100 | 12-13-4200 | 12-13-4300 |

Schrader Style Quick-Connect Adapters

| Please call Customer Service 800-444-3940 for additional ordering information. | Oxygen | Medical Air | Vacuum | Nitrogen |
|---|------------|----------------|------------|------------|
| 1/8" NPT Male (Non-Swivel) | 12-06-1000 | 12-06-1100 | 12-06-1200 | _ |
| 1/4" NPT Male (Non-Swivel) | 12-06-1010 | 12-06-1110 | 12-06-1210 | _ |
| DISS Male (Non-Swivel) | 12-06-3000 | 12-06-3100 | 12-06-3200 | _ |
| 1/4" Hose Barb (Non-Swivel) | 12-06-5000 | 12-06-5100 | 12-06-5200 | 12-06-5600 |
| 1/4" Hose Barb (Swivel) | 12-06-5001 | 12-06-5101 | 12-06-5201 | |

Schrader Style Quick-Connect Couplers

| Please call Customer Service 800-444-3940 for additional ordering information. | Oxygen | Medical Air | Vacuum | N ₂ O |
|--|------------|----------------|------------|------------------|
| 1/4" NPT Male | 11-10-0036 | 11-10-0035 | 11-10-0033 | 11-10-0031 |
| 1/8" NPT Female | | 11-10-0034 | 11-10-0032 | |

Oxequip® Twist Style Quick-Connect Adapters

| Please call Customer Service 800-444-3940 for additional ordering information. | Oxygen | Medical Air | Vacuum | N ₂ O | CO ₂ | Nitrogen |
|--|------------|----------------|------------|------------------|-----------------|------------|
| 1/8" NPT Male | 12-05-1000 | 12-05-1100 | 12-05-1200 | 12-05-1300 | 12-05-1500 | 12-05-1700 |
| 1/4" NPT Male | 12-05-1010 | 12-05-1110 | 12-05-1210 | 12-05-1310 | 12-05-1510 | 12-05-1710 |
| The same of the sa | 12-05-3000 | 12-05-3100 | 12-05-3200 | 12-05-3300 | _ | 12-05-3700 |
| 1/8" NPT Female | 12-05-2000 | 12-05-2100 | 12-05-2200 | _ | _ | 12-05-2700 |
| 1/4" Hose Barb | 12-05-5000 | 12-05-5100 | 12-05-5200 | 12-05-5300 | 12-05-5500 | _ |

Oxequip® Medstar® Style Quick-Connect Adapters

| Please call Customer Service 800-444-3940 for additional ordering information. | Oxygen | Medical Air | Vacuum | N ₂ O | WAGD | CO ₂ |
|---|------------|----------------|------------|------------------|--------------------------|-----------------|
| 1/8" NPT Male | 12-04-1000 | 12-04-1100 | 12-04-1200 | 12-04-1300 | 12-04-1400 | 12-04-1500 |
| 1/4" NPT Male | 12-04-1010 | 12-04-1110 | 12-04-1210 | 12-04-1310 | 12-04-1410 | 12-04-1510 |
| DISS Male | 12-04-3000 | 12-04-3100 | 12-04-3200 | 12-04-3300 | 12-04-3410 (CGA 2220) | _ |
| 1/8" NPT Female | 12-04-2000 | 12-04-2100 | 12-04-2200 | 12-04-2300 | 12-04-2400 | _ |
| DISS Female Hand Tight | 12-04-4000 | _ | 12-04-4200 | 12-04-4300 | _ | _ |
| 1/4" Hose Barb | 12-04-5000 | 12-04-5100 | 12-04-5200 | 12-04-5300 | 12-04-5400 | 12-04-5500 |

Oxequip® Medstar® Style Quick-Connect Couplers

| Please call Customer Service 800-444-3940 for additional ordering information. | Oxygen | Medical Air | Vacuum | N ₂ O | WAGD | CO ₂ |
|---|------------|----------------|------------|------------------|-----------------------|-----------------|
| 1/4" NPT Male | 2027-HU | 2027-HR | 2027-HV | 2027-HT | 2027-HQ | _ |
| DISS Male | 2027-JD | 2027-JA | 2027-JE | 2027-JC | 2027-HW (CGA 2220) | 2027-JG |
| Double Coupler "Y" Style | 11-03-0016 | 11-03-0017 | 11-03-0018 | | _ | |

Oxequip® Medstar® Quick-Connect Couplers – ISO Color Standard

| Please call Customer Service 800-444-3940 for additional ordering information. | Oxygen | Medical Air | Vacuum | N ₂ O |
|--|------------|----------------|------------|------------------|
| 1/4" NPT Male | 2037-HU | 2037-HR | 2037-HV | |
| DISS Male | 2037-JD | 2037-JA | 2037-JE | 2037-JC |
| Double Coupler "Y" Style | 11-13-0016 | 11-13-0017 | 11-13-0018 | |

DISS Male Fittings

| Please call Customer Service 800-444-3940 for additional ordering information. | Oxygen | Medical Air | Vacuum | N ₂ O | WAGD | CO ₂ | Nitrogen |
|---|------------|----------------|------------|------------------|--------------------------|-----------------|------------|
| DISS Male to 1/4" Hose Barb without check | 12-80-3005 | 12-80-3105 | 12-80-3205 | 12-80-3305 | | | 12-80-3705 |
| DISS Male to 1/4" Hose Barb with check | 11-30-0006 | 11-30-0009 | | 11-30-0007 | | 11-30-0010 | 11-30-0012 |
| DISS Male to 1/8" NPT Male without check | 12-80-3001 | 12-80-3101 | 12-80-3201 | 12-80-3301 | 12-80-3418 (CGA 2220) | 12-80-3501 | 12-80-3701 |
| DISS Male to 1/8" NPT Male with check | 12-80-3011 | 12-80-3111 | 12-80-3211 | 12-80-3311 | 12-80-3408 (CGA 2220) | 12-80-3511 | 12-80-3711 |
| DISS Male to 1/4" NPT Male with check | _ | 12-80-3110 | 12-80-3210 | 12-80-3310 | | 12-80-3510 | 12-80-3710 |

DISS Female to 1/4" Hose Barb – Plastic Style



65401 (50/bag) Oxygen – green plastic

DISS Female Fittings

| Please call Customer Service 800-444-3940 for additional ordering information. | Oxygen | Medical Air | Vacuum | N ₂ O | WAGD | CO ₂ | Nitrogen |
|--|------------|----------------|------------|------------------|--------------------------|-----------------|------------|
| DISS Female to 1/4" Hose Barb Hex Nut | 12-80-4005 | 12-80-4105 | 12-80-4205 | 12-80-4305 | | 12-80-4505 | 12-80-4705 |
| DISS Female to 1/4" Hose Barb Knurled Nut | 12-80-4015 | 12-80-4115 | 12-80-4215 | _ | _ | _ | 12-80-4715 |
| DISS Female to 1/4" Hose Barb Hand Tight | 12-80-4035 | 12-80-4135 | 12-80-4235 | 12-81-4335 | _ | 12-81-4535 | 12-81-4735 |
| DISS Female to 1/8" NPT Male Hex Nut | 12-80-4021 | 12-80-4121 | 12-80-4221 | 12-80-4321 | 12-80-4427 (CGA 2220) | 12-80-4521 | 12-80-4721 |
| DISS Female to 1/8" NPT Male Knurled Nut | 12-80-4011 | 12-80-4111 | 12-80-4211 | | 12-80-4417 (CGA 2220) | 12-80-4511 | 12-80-4711 |
| DISS Female to 1/8" NPT Male Hand Tight | 12-80-4031 | 12-80-4131 | 12-80-4231 | 12-80-4331 | | 12-80-4531 | 12-80-4731 |

NPT Pipe Fittings

NPT Cross



12-90-0013 1/8" Female

12-90-0015





12-90-00091/8" Female x Male **12-90-0010**1/4" Female x Male

NPT Drop Ear



1/8" Female / Elbow

12-90-0016 1/8" Female / Tee

NPT Pipe Branch Tee



12-90-0011 1/8" Female x Male 12-90-0012 1/4" Female x Male

NPT 90° Elbow



12-90-0001 1/8" Female x 1/8" Female

12-90-0002 1/4" Female x 1/4" Female

NPT Female Tee



12-90-0006 1/8" – Chrome **12-90-0007** 1/4" – Chrome

NPT 90° Street Elbow



12-90-0004

1/8" Female x 1/8" Male

12-90-0003

1/4" Female x 1/4" Male

NPT 45° Street Elbow



12-90-0005 1/8" Male x 1/8" Female

Hex Nipple



12-90-1021

1/8" NPT Male x 1/8" NPT Male

12-90-1121

1/4" NPT Male x 1/8" NPT Male

12-90-1120

1/4" NPT Male x 1/4" NPT Male

Pipe Nipple



12-90-1101

1/8" NPT Male x 1/8" NPT Male – 1 1/2" Long

12-90-1201

1/8" NPT Male x 1/8" NPT Male – 2" Long

12-90-1301

1/8" NPT Male x 1/8" NPT Male – 3 1/2" Long

Please call Customer Service at 800-444-3940 for additional ordering information.



NPT Pipe Fittings, continued

NPT Connectors



12-90-2001

1/8" NPT Female x 1/8" NPT Male

12-90-2000

1/8" NPT Female x 1/4" NPT Male

12-90-2101

1/4" NPT Female x 1/8" NPT Male

NPT Connectors



12-90-2002

1/8" NPT Female x 1/8" NPT Female

12-90-2112

1/4" NPT Female x 1/4" NPT Female

Hose Barb x NPT Pipe Fittings

NPT to Hose Barb



12-90-1007

1/8" NPT Male x 3/16" Diameter

12-90-1005

1/8" NPT Male x 1/4" Diameter

12-90-1006

1/8" NPT Male x 5/16" Diameter

12-90-1105

1/4" NPT Male x 1/4" Diameter

12-90-1008

3/8" NPT Male x 1/4" Diameter

NPT to Hose Barb



12-90-2005

1/8" NPT Female x 1/4" Diameter

12-90-2105

1/4" NPT Female x 1/4" Diameter

12-90-2106

1/4" NPT Female x 5/16" Diameter

Hose Ferrules

Ferrule



15-90-0050 (10pk)

For all 1/4" hose assemblies

15-90-0049 (10pk)

For all 5/16" hose assemblies

Although the preparation of hose assemblies by the user is discouraged, information on ferrules is included for convenience.

Conductive Medical Grade Hose (UL Listed)

Chemetron ® Bulk Hose is made from carbon permeated neoprene to provide a conductive path from end fitting to end fitting when hose assembly does not exceed 30 feet in length. Chemetron® Conductive Hose meets all requirements as specified in NFPA 99. This hose is color coded to conform to CGA C-9 standards.

| | 500 Foot Roll | 250 Foot Roll | By The Foot |
|--|---------------|---------------|-------------|
| 1/4" Green for Oxygen | 15-09-0501 | _ | 15-09-0001 |
| 1/4" White for Vacuum (ISO Oxygen for Canada) | 15-09-0502 | _ | 15-09-0002 |
| 5/16" White for Vacuum (ISO Oxygen for Canada) | | 15-09-0507 | 15-09-0006 |
| 1/4" Blue for Nitrous Oxide | _ | 15-09-0508 | 15-09-0003 |
| 1/4" Yellow for Medical Air (ISO Vacuum for Canada) | 15-09-0504 | _ | 15-09-0004 |
| 1/4" Black for All Other Services | 15-09-0510 | _ | 15-09-0010 |
| 5/16" Purple for WAGD | _ | 15-09-0509 | _ |

Hose Retractor

Designed to be installed on ceiling-mounted medical gas outlets but can also be attached to the hose itself. Hose assemblies are kept overhead by the retractor and can extended up to 20" when pulled down. Maximum weight supportable in the retracted position is 15 ounces.



15-61-6006 Hose Retractor





Miscellaneous Fittings & Valves

Master-Flo



12-90-2052 1/8" NPT Female to 1/8" NPT Female

Auxiliary



12-90-0017Oxygen (9/16"-18")
Male Check **12-90-0018**Air (3/4"-16")

Male Check

| Extension | Manifold | (DISS) |
|-----------|----------|--------|
|-----------|----------|--------|



| | OXYGEN | <u>AIK</u> | VACUUIVI |
|----------|------------|------------|------------|
| | | | |
| 2 Outlet | 12-90-0020 | 12-90-0030 | 12-90-0033 |
| 3 Outlet | 12-90-0021 | | 12-90-0034 |
| 4 Outlet | 12-90-0022 | 12-90-0032 | 12-90-0035 |

Extension manifolds also available with Quick Connect couplers.

Tamper-Proof Lock-Out Adapters for Chemetron® Quick-Connect Outlets



| 11-01-0035 | 11-01-0041 | 11-01-0036 |
|------------|------------|------------|
| Oxygen | Air | Vacuum |

Dynacon Nitrogen Fittings

Coupler



11-20-0012 Nitrogen Dynacon to 1/4" Hose Barb

Check Unit



11-20-0008 NitrogenDynacon with 1/4" NPT Male for Conversion of Regulators



11-20-0001 Nitrogen Dynacon Male to 1/4" Hose Barb

Adapter



11-20-0009 Nitrogen Dynacon Male with Set Screw Lock Accepting Schrader Male

Replacement Knob



11-20-0011 Nitrogen Dynacon Knob for Outlets and Couplers

Please call Customer Service at 800-444-3940 for additional ordering information.

Additional ISO Connectors

| Please call Customer Service 800-444-3940 for additional ordering information. | Oxygen | Medical Air | Vacuum | N ₂ O |
|--|------------|--------------------------|------------|------------------|
| British Probe to 1/8" NPT Male | | 12-30-1100 MA – 4 Bar | 12-30-1200 | |
| German DIN Probe to 1/8" NPT Male | 12-30-1400 | 12-30-1500 MA | 12-30-1600 | |

Please call your International Area Sales Manager or our International Customer Service Department at 800-446-0552 for additional ordering information regarding ISO styles.

Double Bar & Y Block Fittings

| Please call Customer Service at 800-444-3940 for additional ordering information. | Oxygen | Medical Air | Vacuum |
|---|------------|----------------|------------|
| Chemetron® Quick-Connect to Double DISS Female – CENTER | 11-01-0004 | 11-01-0049 | 11-01-0070 |
| Chemetron® Quick-Connect to Double DISS Female – OFFSET LEFT | 11-01-0005 | | 11-01-0071 |
| Chemetron® Quick-Connect to Double DISS Female – OFFSET RIGHT | 11-01-0006 | | 11-01-0073 |
| Schrader Quick-Connect to DISS Female – 90° Elbow (Non-Swivel) | 11-10-0007 | 11-10-0086 | 11-10-0085 |
| Schrader Quick-Connect to Double DISS Female - CENTER | 11-10-0008 | | |

Double Bar & Y Block Fittings

| Please call Customer Service at 800-444-3940 for additional ordering information. | Oxygen | Medical Air | Vacuum |
|---|------------|----------------|------------|
| DISS Female to Double DISS Female | 11-01-0009 | | |
| DISS Female to Double DISS Male with Check | 11-01-0116 | | 11-01-0117 |
| DISS Female to Double DISS Female –Y Style | 11-03-0007 | 11-03-0008 | |
| DISS Female to Double DISS Male with Check –Y Style | 11-03-0010 | 11-03-0011 | 11-03-0012 |

Blank Double Bar & Y Block Adapters



11-01-0055

1/8" NPT Female Center X Double 1/8" NPT Female

11-01-0056

1/8" NPT Female Offset Left/Right X Double 1/8" NPT Female



12-90-0028

1/8" NPT Female X Double 1/8" NPT Female

12-90-0029

1/8" NPT Female X Double 1/4" NPT Female

Bottle Holder Adapters



11-01-0016 – Vacuum (rectangular striker) Chemetron® Quick Connect to Single Port Outlet



11-01-0017 – Vacuum (rectangular striker) Chemetron® Quick Connect to Double Port Outlet



11-30-0002 – Vacuum

Chemetron® DISS Female to Single Port Outlet



11-30-0001 - Vacuum

Chemetron® DISS Female to Double Port Outlet


Please call Customer Service at 800-444-3940 for additional ordering information.

More Allied Innovations















Allied Healthcare Products, Inc. • 1720 Sublette Avenue • St. Louis, MO 63110 USA 314-771-2400 • 800-444-3954 • FAX: 314-771-0650 • www.alliedhpi.com

U.S. Toll Free: 800-444-3940 FAX: 800-477-7701 Canada & Mexico Toll Free: 800-446-0552 FAX: 800-246-6201 International Telephone: 314-268-1683 FAX: 314-771-5183

All specifications are nominal and subject to change without notice.

Form 12-00-0001 Rev. FEB2017